



Sistemi Distribuiti

Corso di Laurea in Ingegneria


Prof. Paolo Nesi
Parte: 3 – CORBA

Department of Systems and Informatics
University of Florence
Via S. Marta 3, 50139, Firenze, Italy
tel: +39-055-4796523, fax: +39-055-4796363

Lab: DISIT, Sistemi Distribuiti e Tecnologie Internet
<http://www.disit.dsi.unifi.it/>
nesi@dsi.unifi.it paolo.nesi@unifi.it
<http://www.dsi.unifi.it/~nesi>, <http://www.axmedis.org>





Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 1



CORBA



- CORBA Architecture
- General Concepts
- ORB Structure
- Client and Server in CORBA
- Object Adapter
- CORBA for WEB applications
- Usage of CORBA
- Single and Multithread CORBA



Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 2


CORBA
Common Object Request Broker Architecture

- **OMG's** (Object Management Group) specification for interoperability between distributed computing nodes (1989)
- **ORB**: middleware that establishes requester-provider relationship
- **Goal:**
 - ♣ Usage of OO programming in Distributed Systems
 - ♣ Allow heterogeneous environments communicating at object level
 - ♣ regardless of implementation of the endpoints
 - Different languages in the applications
 - Different implementations of the ORB
- CORBA 1 (1990), CORBA 2 (1996)



  Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 3

CORBA
CORBA, Common Object Request Broker Architecture

- Defined by the Object Management Group nel 1991
- Object Management Architecture





The diagram illustrates the CORBA architecture. At the top, there are two boxes: 'Application Objects' on the left and 'CORBA facilities' on the right. Both boxes contain three icons: a square, a circle, and a triangle. Below these boxes is a horizontal bar labeled 'Object Request Broker'. The 'Object Request Broker' bar has two large arrows pointing outwards from its ends. Below the 'Object Request Broker' bar is a box labeled 'CORBA services'. This box contains five icons: a circle, a square, a triangle, a circle, and a square. Lines connect the icons in the 'Application Objects' and 'CORBA facilities' boxes to the 'Object Request Broker' bar, and lines connect the icons in the 'CORBA services' box to the 'Object Request Broker' bar.


  Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 4

CORBA

- **Object Request Broker (ORB)**
 - ♣ The libraries, processes, and other infrastructure in a distributed environment that enable CORBA objects to communicate with each other.
 - ♣ The ORB connects objects requesting services to the objects providing them.
- **Naming service**
 - ♣ to allow CORBA objects to be named by binding a name to an object reference.
 - ♣ The name binding may be stored in the naming service, and
 - a client may supply the name to obtain the desired object reference.


Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 5



CORBA

4 Componenti di CORBA

- **ORB, Object Request Broker**
 - ♣ Distributed application
 - ♣ rende trasparente la locazione fisica degli oggetti, naming
 - ♣ unmarshal-marshall, e invocazione dei metodi
- **CORBA Services**
 - ♣ Security, time, etc..
 - ♣ persitency, events, transactions, etc..
- **CORBA Facilities**
 - ♣ Servizi di base condivisi da molte applicazioni
 - ♣ Non vitali come i CORBA Services, OS esteso....
 - ♣ E.g.: amministrazione sistema, mail, etc.
- **Application Objects**
 - ♣ Objects basati su CORBA





Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 7

CORBA

The main components of the CORBA architecture

- The CORBA architecture is designed to allow clients to invoke methods in CORBA objects
 - ♣ clients and objects can be implemented in a variety of programming languages
 - ♣ it has additional components wrt a generic MiddleWare
 - object adapter, implementation repository and interface repository





Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 8

CORBA

The main components of the CORBA architecture

- ORB core
- role similar to that of a communication module
- provides an interface that includes operations to:
 - enable it to be started and stopped;
 - convert between remote object references and strings, naming;
 - provide argument lists for requests using dynamic invocation.

The diagram illustrates the CORBA architecture. On the left, the **client** side contains a **client program**, a **proxy for A**, and the **ORB core**. On the right, the **server** side contains the **ORB core**, an **object skeleton adapter**, and a **Servant A**. In the center, there are **implementation repository** and **interface repository** components. A **Request** arrow points from the client's ORB core to the server's ORB core, and a **Reply** arrow points back. Handwritten red annotations include a large bracket labeled '4' spanning the top, '1' and '2' near the server ORB core, '3' near the client ORB core, and a table with 'x4' and 'A' below the request arrow.

or dynamic invocation

or dynamic skeleton

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010

9

CORBA

The main components of the CORBA architecture

- Client stubs/proxies
- Written in the client language.
- The IDL compiler for the client language uses an IDL interface to generate one of the following:
 - for object-oriented languages the class of a proxy
 - for procedural languages a set of stub procedures.
- the client stubs/proxies marshal the arguments in invocation requests and unmarshal exceptions and results in replies

The diagram illustrates the CORBA architecture focusing on client stubs/proxies. On the left, the **client** side contains a **client program**, a **proxy for A**, and the **ORB core**. On the right, the **server** side contains the **ORB core**, an **object skeleton adapter**, and a **Servant A**. In the center, there are **implementation repository** and **interface repository** components. A **Request** arrow points from the client's ORB core to the server's ORB core, and a **Reply** arrow points back.

or dynamic invocation

or dynamic skeleton

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010

10

CORBA The main components of the CORBA architecture

- Dynamic invocation interface
- In some applications (e.g. browsers), a client without the appropriate proxy class may need to invoke a method in a remote object.
- CORBA does not allow classes for proxies to be downloaded at run time as in Java RMI.
- The dynamic invocation interface is CORBA's alternative. (see the Interface Repository)

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 11

CORBA The main components of the CORBA architecture

- **Skeletons**
 - ♣ skeleton classes (for OO languages) are generated in the language of the server by the IDL compiler.
 - ♣ remote method invocations are dispatched via the appropriate skeleton to a particular servant,
 - ♣ the skeleton unmarshals the arguments in request messages and marshals exceptions and results in reply messages.

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 12

CORBA

The main components of the CORBA architecture

- **Object adapter**
 - bridges the gap between
 - ♣ CORBA objects with IDL interfaces and
 - ♣ the programming language interfaces of the corresponding servant classes.
 - it does the work of the remote reference and dispatcher modules

client: client program, proxy for A, ORB core
 implementation repository, interface repository
 server: ORB core, object adapter, skeleton, Servant A

Request
 Reply

or dynamic invocation
 or dynamic skeleton



Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 13

CORBA

Object Adapter

- **Object Adapter (Portable object adapter)**
 - ♣ provides ORB services to particular groups of object implementations
- **Services and duties/activities**
 - ♣ generation and interpretation of object references, mapping object references to implementations, and registration of implementations.
 - ♣ method invocation (dispatching) via a skeleton, object and implementation activation and deactivation
 - ♣ security of interactions (method access control, etc.)


Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 14



CORBA

OA, Object Adapter

- ♣ **The Object Adapter (OA)**
 - to interface an object's implementation with its ORB.
- ♣ **Three Object Adapters.**
 - **Basic Object Adapter (BOA)**
 - Provides CORBA objects with a common set of methods.
 - CORBA object's interface to the ORB
 - available in every ORB implementation
 - Includes user authentication, object activation, object persistence ,etc...
 - **Library Object Adapter (LOA)**
 - **Object-Oriented Database Adapter (OODA)**
 - Both LOA and OODA are useful for accessing objects in persistent storage





17

CORBA

The main components of the CORBA architecture

- ♣ **Interface repository**
 - the interface repository provides information about registered IDL interfaces to clients and servers that require it.
- ♣ **Implementation repository**
 - activates registered servers on demand and locates running servers
 - uses the object adapter name to register and activate servers.
 - more about this later







19

CORBA

Interface repository


- provides information about registered IDL interfaces
 - ♣ for an interface it gives: method names and the names and types of the arguments and exceptions. (a short version of "Manifesto")
 - ♣ It is a facility for reflection in CORBA
 - Having a remote reference to a CORBA object, it is possible to ask at the interface repository about its methods and their parameter types
 - the client can use the dynamic invocation interface to dynamically construct an invocation with suitable arguments and send it to the server.
- the IDL compiler gives a Type ID to each IDL type, which is
 - ♣ included in remote object references
 - ♣ used also as a Type repository ID
- Applications that use static invocation with client proxies and IDL skeletons do not require an interface repository.
 - ♣ Not all ORBs provide an interface repository.

  Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 20

CORBA

Concetto di Manifesto



- Descrizione della classe/"component software"
- Potrebbe includere:
 - ♣ Nome, descrizione, creatore, produttore, data, versione, sistema operativo, etc.
 - ♣ Interfaccia di uso, o interfacce per l'uso, metodi e loro signature, etc.
 - ♣ Informazioni di trading: costo, DRM, location per il download di aggiornamenti, scadenze, etc.
 - ♣ Dipendenze da altri componenti
- CORBA e' limitato, per esempio:
 - ♣ ORB o chi per lui non e' in grado di prendere decisioni su quali diverse implementazioni scegliere, etc..
 - ♣ Le interfacce/implementazioni devono essere note agli ORB non possono arrivare dall'esterno del sistema

  Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 21


CORBA

ORB

- **Receives invocation** message to invoke specified method for registered object
- Finds object, unmarshals parameters, invokes method, marshals and returns results
- Requester needs not to be aware of location, language or OS of object



Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 24



CORBA

ORB-invocation, Client

- **ORB Interface**
 - ♣ Identification of the objects
 - ♣ String to objects and viceversa (Marshalling/unmarshalling)
- **Client IDL Stubs**
 - ♣ Static interface to object services, precompiled stubs
- **Dynamic Invocation Interface, DII**
 - ♣ Permette di identificare i metodi che possono essere chiamati a run-time.
 - ♣ CORBA permette di identificare i metadati e l'interfaccia dei servizi degli oggetti non noti
- **Interface Repository**
 - ♣ Database con tutte le interfacce possibili e registrate in base agli oggetti disponibili



 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 26



CORBA

ORB-provider part, Server

- **ORB Interface verso il Server**
 - ♣ Come quella da lato client
- **Static Skeleton equivalente al Server IDL Stubs**
 - ♣ Interfaccia statica dei servizi esportati dal server con IDL
- **Dynamic Skeleton Interface, DSI**
 - ♣ Interfaccia dinamica per la pubblicazione di servizi dinamici
 - ♣ Interface repository
- **Object Adapter / Dispatcher**
 - ♣ Accetta richieste di servizio per il Server
 - ♣ Istanza oggetti distribuiti e gli assegna richieste
 - ♣ Fa uso del Implementation Repository
- **IR, Implementation Repository**
 - ♣ Tabelle di classi e loro ID


Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 27



CORBA

CORBA Characteristics

- Object-Oriented Programming
- Support multiple languages
 - ♣ Official: JAVA, C, C++, Smalltalk, COBOL
 - ♣ Also: eiffel, modula, perl, TCL, Python, etc.





Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 30

CORBA


What are Objects in CORBA !!

- **Objects are abstract:** not realized by any particular technology
 - ♣ An object system is a collection of objects that isolates the requestor of services (clients) from the providers of services by a well-defined **encapsulating interface**
- **Objects “talk” through requests:** operation, target object, zero or more parameters, optional request context
- **Objects are described with interfaces**
 - ♣ operations (methods)
 - ♣ attributes (properties)
 - ♣ Standard data types are supported
 - ➔ object references
 - ➔ Any







Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 31




CORBA and IDL

- **Interface Definition Language (IDL)**
 - ♣ The OMG-standard language for defining the interfaces for all CORBA objects.
 - ♣ An IDL interface declares a set of operations, exceptions, and attributes.
 - ♣ Each operation has a signature, which defines its name, parameters, result and exceptions.
 - ♣ Format of messages, external data representation in CDR
- **Below there is the**
 - ♣ **Internet InterORB Protocol (IIOP)**
The OMG-specified network protocol for communicating between ORBs fo different vendors. Based on TCP.

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010

32





Interface Definition Language

- Language neutral specification


```
interface Polynomial : MathObject {
    sequence<Monomial> monomials;
    int rank;
    Polynomial add(in Polynomial p);
};
```
- Mappings to several languages
- Tools (compilers) generate stubs and skeletons in various languages

Note. No way to know at run-time which interfaces an objects provides: IDL is compiled away
Dynamic taking of an interface, but it has to be created in advance

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010



33

CORBA

Interface Definition Language (IDL)

- General Properties of IDL
 - ♣ Case sensitive
 - ♣ Definition syntax is the same as C++ definition syntax.
 - ♣ Assumes the existence of a C processor to process constructs such as macro definitions and conditional compilation
 - ♣ An example; The Module:

```
module Bank {  
    interface Customer {  
        ....  
    };  
    interface Account {  
        ....  
    };  
};
```



 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 34



CORBA

Interface Definition Language (IDL)

- ♣ Primitive types: void, Boolean, char, wchar,
- ♣ Floating point types: float, double and long double
- ♣ Integer types: long, long long, unsigned long etc.
- ♣ Constructed types: enum, struct, union, etc.
- ♣ The interface type: in, out, inout
- ♣ Attributes: readonly..
- ♣ Other IDL constructs
 - typedef
 - forward declaration
- ♣ Container types: sequence, array.
- ♣ The Exception type
- ♣ The Any type
- ♣ The TypeCode Pseudotype


Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 35




CORBA



CORBA Design Issues

- **Single-Threaded Applications:**
 - ♣ Common and Easy.
- **Multi-Threaded Applications: Limited**
 - ♣ Not all the Operating systems supports it.
 - ♣ Not all the developers are using the later versions of OSs.
 - ♣ Introduces new issues: the need to manage concurrent access to objects.
- Server Applications
- Client Applications
- Mixed Server/Client Applications
- Object Life Time



Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 38







CORBA

CORBA Services

- >20 defined services
- check vendor for implementation and limitations !
- Some interesting services
 - ♣ Naming Service
 - “directory-based”
 - single or federated
 - ♣ Event Service: suppliers and consumers communicate via an event channel
 - decouples suppliers from consumers
 - push or pull models
 - uses Any for event data
 - Notification Service ?
 - Messaging Service ?



 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 42

CORBA

CORBA services include the following

- **Notification Service:**
 - ♣ Event Service suppliers and consumers communicate via an event channel
 - ♣ NS extends Event Service to allow filtering and typed events
- **Security service:**
 - ♣ authentication of principals and access control of CORBA objects with policies
 - ♣ auditing by servers, facilities for non-repudiation
- **Trading service:**
 - ♣ allows CORBA objects to be located by attribute
- **Transaction service and concurrency control service**
 - ♣ TS provides flat or nested transactions
 - ♣ CCS provides locking of CORBA objects
- **Persistent object service:**
 - ♣ for storing the state of CORBA objects in a passive form and retrieving it



 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 43

CORBA

Summary

- **CORBA addresses heterogeneity:**
 - ✦ RMI between a client and a remote remote object in different languages.
 - ✦ GIOP
 - specifies an external data representation called CDR – clients and servers can have different hardware.
 - specifies OS independent operations for request-reply protocol
 - specifies a standard form for remote object references.
 - ✦ IIOp implements the request-reply protocol over TCP/IP.
- **Object adapter**
 - ✦ relates request messages to implementations of CORBA objects
- **Implementation repository**
 - ✦ enables CORBA objects to be activated on demand
- **Interface repository**
 - ✦ allows dynamic invocation of CORBA objects, some limitation on the manifest
- **IDL for defining interfaces**



 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 44


CORBA

More About CORBA

- **Other features of CORBA**
 - ✦ **vendor specific implementations - check performance you need !**
 - implementazioni diverse possono avere diversi servizi
 - Vendor diversi possono avere implementazioni anche in certa misura con semantica diversa,
 - anche se questo non dovrebbe accadere,
 - lo standard non descrive in modo preciso la semantica di certe operazioni
 - ✦ Gateways to DCOM and OLE automation exist !
 - ✦ CORBA Components (futureware, mai visto...)
 - ✦ Esistono versioni anche per sistemi mobili come PDA
 - Fortemente limitate
 - ✦ Esistono versioni che permettono di avere un maggiore controllo sui problemi di real time
- **Alternatives to CORBA:**
 - ✦ .net
 - ✦ J2EE
 - ✦ ...




 

Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010 45



Reference

- **Visibroker, from Visigenic**
 - ♣ <http://www.cse.cuhk.edu.hk/~csc5340/material/vbj40java-reference.pdf>
- **Orbix from Iona**
 - ♣ <http://www.cse.cuhk.edu.hk/~csc5340/material/OrbixProgrammersGuide.pdf>
- **CORBA FAQ**
 - ♣ <http://www.omg.org/gettingstarted/corbafaq.htm>



Sistemi Distribuiti, Univ. Firenze, Paolo Nesi 2009-2010

46